

HOSPITALITY EQUIPMENT

EOFY SALE — LIMITED STOCK! Most items only 1 available CALL NOW! 1300 00 87 00



on commercial kitchen equipment!

info@catercentral.com.au





HOSPITALITY EQUIPMENT



Rational ICP101

Electric Combi Oven 10 Tray iCombi Pro

Description

- 10 lengthwise insertion for 1/1 GN-
- Removable standard racks with 68 mm insertion distance
- Wide range of accessories for various cooking processes such as grilling, braising

\$24,545+GST

tional ICP201G-NG



Description

- 20 lengthwise insertion for 1/1 GN-
- Mobile oven rack with 65 mm insertion distance and tandem rollers Handle mount for mobile oven rack Wide range of accessories for various
- cooking processes such as grilling, braising or baking

\$48,880+GST

Atosa EPF3472GR



<u>Description</u>

- Stainless steel interior and exterior
- Gas: R404A for Freezers
- Capacity 450 Ltr
- Dimensions: (WDH) 1795mm, 700mm, 838mm

\$2,599+GST



GM1100B-NR

<u>Description</u>

- Double glazed Low-E Glass + Argon Gas
- Adjustable Shelf Type
- Energy Consumption: 8.64kWh/24h

Ambient Temperature: 43°C

Display \$3,890+GST

Luus CS-9C

900mm Chargriller (136KG)

Description


- Benchtop or on stand with undershelf
- 3 x 33mj stainless steel dual burners
- Dimensions: (WDH) 900mm, 800mm,

1100mm Weight: 136KG 6 x reversible diamond grates \$4,390+GST

Unox XESW-03HS-EDDN

3 Tray Speed Electric Baking Oven Bakerlux Pro

Description



- ADAPTIVE.Cooking: Automatic
- AUTO.Soft: Automatic temperature rising management

\$12,045+GST



Robot Coupe Blixer 30

Robot Coupe Cutter Blender Mixer

Description

- Power (Watt): 400V/50/3 5400W; Three phase
- Bowl: 28 L stainless steel bowl with handles
- Speed(s): 1500 rpm 3000 rpm
- Dimensions: (WDH) 600 mm, 720 mm, 1250 mm
- Weight: 154 KG

\$22,644+GST

Roband ET310

The Eclipse conveyor toaster Bun Toaster



Description

- Modern brushed stainless steel construction
- Easy-clean crumb tray & reflector
- 40 mm entry chute clearance
- Dimensions: (WDH) 480mm, 495mm, 400mm

\$1,590+GST



90000

CATERCENTRA



.

Mercury M36S-6F



Description

- Gas NG/LPG power: 221.5/227.5 MJ
- GN2/1,2 racks Drop down door
- 6 burners
- Rack size 635 x 560 mm
- Oven size 675 x 415 x 355 mm
- Weight: 203 KG

\$3,990+GST

MHN-36-F

- Stainless steel construction and finish
- Heavy duty cast iron trivets

 Manually controlled, independent hobs Large, robust dial controls Removable full width waste tray 3/4 male, all units supplied with Natural and

\$2,790+GST **(**

Lincat CiBO+ Plug

High Speed Electric Oven

Description

- Paddle with handguard and sides
- No installation required plug in and cook
- Pizza Capacity 1 x 12"
- Gastronorm Capacity GN2/3
- Dimensions: (WDH) 395 x 728 x 640 mm

\$11,200+GST

Unox XEVC-0711-EPRM-MS



Description

- 9.5" Touch Control Panel Built in WiFi Flectrical Power 11.7 kW 20AMP GB Power (Voltage): 415 V 3PH N+E 4 fan speeds with auto-reverse and
- pulse function
- CLIMA.Control: Humidity or dry air set

\$12,600+GST



≚KASTEL

Trueheat RCR6-4-NG

4 Open Top Burners NG 600mm Oven Range

Description

- 16mm thick steel griddle plate
- with 16.5MJ burner per 300mm section.
- Working height: 910mm (+/-15mm with stand)
- Oven Interior: 490W x 540D x 320H mm

\$3,990+GS1

Zummo 0Z06

Orange Juicer Machine

Description

- Voltage: 230 V 50 Hz. 220 V 60 Hz.
- 110 V 60 Hz. Single-phase 0,33 CV
- Bin Capacity: 22 L (2 x 11 L)
 Dimensions: 811 (h) x 548 (w) x 431 (d) mm
- Net Weight: 52.5 kg

\$7,000+GST

Kastel C20

Ice Cube Machine Ice Maker (6kg) Storage

Description

- Full stainless steel shell
- Voltage Standard: 220-240V 50Hz
- Ice Production in 24 Hours : 20kg Up to 1176
- Dimensions: (WDH) 365 x 495 x 600mm
- Weight: 33kg

\$1,836+GST

Atosa BD-155K



Top Chest Freezer Solid Top (740mm Wide)

Description

- **Dual Temperatre pupose**
- 70mm thick insulation
- Mechanical Control System
- 1 standard basket included Dimensions: (WDH) 740mm,
- 561mm, 822mm \$629 + GST



HOSPITALITY EQUIPMENT



Blue Seal EP514-LS



600mm Leg Stand Electric Griddle

Description

- 600mm electric griddle on leg stand
- 7.2kW heating elements
- 20mm thick griddle plate
- Single temperature control zone
- Top weld sealed plates
- Stainless steel grease drawer
- Heavy-duty reinforced control knobs

\$6,667.82+GST

Merrychef CONNEX12 B HP



Description

- Large oven cavity to suit up to 305 x 305mm
- Fits on a 600mm bench depth
 Self-diagnostics capability to monitor components
- Easy menu updates or data transfer via USB



\$27,877+GST

Merrychef CONNEX16 HP



High Speed Cook Oven

Description

- Easy to operate with 7" HD widescreen display with robust glass surround
- Self-diagnostics capability to monitor components
- Easy menu updates or data transfer via USB
- Wi-fi / ethernet connection
- Quiet operation < 48 dbA

\$32,895+GST

RATICOC641DG1P

- Single phase single chamber electric deck oven Internal Dimensions: W 630mm x D 430mm x H 115mm Digital controls with easy to read cinternal temperature
- 400C maximum working temperature



Waldorf RN8606E-RB



800m Series I Electric Cooktop I Refrigerated

Description

- 2 radiant element cooktop with 600mm griddle on refrigerated base
- 2 x 2.4kW radiant elements
- 2 x 3.6kW griddle elements
- Six temperature setting simmer setting
- Heavy-duty stainless steel finish
- Adjustable feet and 2 additional rollers

\$14,890.92

Bestaqua BA14-DW



System RO Bestaqua 14ROC System No Tank

Description

- 14 reverse osmosis system
- Without tank 230v brush motor
- Combined with a diaphragm pump
- Max Capacity 120 litres/ hr
- Pre-filtration filter to remove sediment

\$2,399+GST

Convotherm CXEBT6.10D

Electric Steamer Combi Steam Over

- **Description** Boiler System
- Disappearing Door Display: 10" TFT easyTouch screen
- HygieniCare
- Cleaning System: ConvoClean+ (fully automatic, included)
- Tray Capacity: 7 trays

\$22,404.76+GST

(16 HP BK



High Speed Cook Oven Black Version

Description

- Stainless steel cavity and casework
- Easy clean cavity with sealed rounded edges
- Quiet operation < 48 dbA
- Capacity of up to 1,620 plates / 2,250 glasses per hour
- Wi-fi / ethernet connection





SALE Waldorf

Waldorf FF8135E

Filtamax Deep Fryer Filter | Oil Filter

Description

- Powerful reversible 1/3 HP pump
- Full stainless steel construction
- Reusable filter bag
- 30 litre capacity
- Easy clean, installation and service
- Mounted on two fixed and two

\$5,654.50+GST

Waldorf BT8200-CB

Bench Top Cabinet Base Stainless Steel Infill Bench

- 200mm bench top on cabinet base
- 3.5mm thick compound work surface
- Adjustable feet at front with rear rollers
- Easy clean, installation and service
- Standard Version, 200mm Bench top
- with Cabinet Base

\$1,477.42+GST

Waldorf SN8200G



- 900mm gas salamander
- Four position racking (flat or inclined) Left and right individual burner controls Monocoque construction
- 2 x 15.5 MJ/hr individually controlled

\$3,617.70+GST

Waldorf SFLB8120-CD

/ HILLIAM TO THE PROPERTY OF THE PARTY OF TH

Description

- 1200mm solid fuel grill 3 modular width models

- Heavy-duty fire box Enamelled control panel 50mm thick refractory brick lined fire box Heavy-duty stainless steel rod grates

\$11,365.02+GS7

Waldorf RN8610E

800m Series Electric Range Oven

Description

- 6 radiant element cooktop range
- 2/1 GN electric static oven
- Six temperature setting simmer setting
- Heavy-duty stainless steel finish
- Heavy-duty reinforced control knobs

\$11,773.47+GST

Waldorf RN8610SE



900mm Electric Sealed Hobs Range Static Oven

Description

2/1 GN electric static oven

- 50-320C thermostatic control
- Vitreous enamelled control panel
- GN 2/1 drawers with 4 position racking
- 6 cooking zone electric cooktops on static oven

\$12,362.42+GST

Waldorf BTLB8450-CD

Bench Top Cabinet Base Low Back Version Infill Bench

Description

- 450mm bench top on cabinet base
- 3.5mm thick compound work surface
- Adjustable feet at front with rear rollers
- Easy clean, installation and service
- Fixed front panel
- Waldorf Bold option



\$4,163.86+GST

Waldorf BTB8550-CD-LH

Bench Top Cabinet Base With Fixed Front Panel Infill Bench

Description

- Fixed front panel
- Easy clean, installation and service
- 3.5mm thick compound work surface
- Default colour is black and other colour options are available



\$3,828.54+GST



Waldorf





Waldorf RN8410G

800m Series Gas Range Static Oven

Description

Waldorf INB8100R5-CD

Electric Induction Cooktop

on static oven

2/1 GN electric static oven

50-320C thermostatic control Vitreous enamelled control panel

6 cooking zone electric cooktops

- 4 Burner Gas Stove Top
- 4 x 28MJ/hr open burners
- Heavy-duty stainless steel finish
- Flame failure protection on all burners
- Adjustable feet and 2 additional rollers

\$7,394.11+GST

Valdorf GP8600E-LS



Description

- 600mm electric griddle on leg stand
- 7.2kW heating elements 20mm thick griddle plate
- Single temperature control zone

Top weld sealed plates Stainless steel grease drawe

\$7,088.36+GST

Valdorf GP8900G-B

900mm gas griddle bench model 80MJ/hr thermostatic burner system Heavy-duty reinforced control knobs



Top weld sealed plates

Stainless steel grease drawer Push-button piezo ignition 20mm thick griddle plate

\$8,067.08+GST

CLEARANCE \$12,362.42+GST

GN 2/1 drawers with 4 position racking

Waldorf RNL8803G-LS

Gas Cooktop Low Back Version Leg Stand

Description

- 6 burner cooktop with 300mm griddle on leg stand
- 6 x 28MJ/hr open burners
- 1 x 20MJ/hr griddle burner
- Heavy-duty stainless steel finish
- Flame failure protection on all burners Adjustable feet and 2 additional rollers

\$6,905.53+GST

Valdorf RN8610G



800m Series Gas Range Static Oven

Description

Six Burner Gas Stove

- Cooktop Range 900mm
- 6 burner cooktop range
- 2/1 GN gas static oven
- 6 x 28MJ/hr open burners
- Heavy-duty stainless steel finish
- Flame failure protection on all burners

\$9,225.52+GS1

Waldorf FN8127E

800m Series Electric Deep Fryer

Description

- 450mm single pan electric fryer
- 27 litre oil capacity
- 31kg/hr production rate
- 3 x 5.66kW stainless steel heating elements
- Supplied with 2 standard baskets




ITT

\$6,927.31+GST



Description

- 450mm single pan gas fryer
- 20 litre oil capacity
- Mechanical controls
- 31kg/hr production rate
- 2 x 45MJ/hr infrared burners
- Mechanical controls Easy clean, installation and service
- \$5,051.55+GST





HOSPITALITY EQUIPMENT



Waldorf Wexiödisk



Atosa SC-430

<u>Description</u>

- 154 Bottle Capacity
- Dual Zone Wine Fridge
- Capacity: 420L
- Temp Range: Upper zone 4-12degreesC
- Temp Range: Lower zone 12-22degreesC
- Ambient Temper: 0-32 degreesC
- 25 DegreesC
- Refrig Gas Type : R600a Dimensions: (WDH) 595 x 680 x 1762mm

\$1,500+GST

Wexiodisk WD-4S



Basic Undercounter Glasswasher

Description

- High quality Swedish design
- 20 litre wash tank volume
- 2.4 litres per cycle water consumption
- Washes up to 50 baskets per hour
- Silent operation

\$6,545+GST

Blue Seal G504B



Static Range Gas Oven

Description

- 600mm griddle on gas range static oven
- 1/1 GN gas static oven
- 2 x 20MJ/hr griddle burners
- 100-270C thermostatic control
- Heavy-duty stainless steel finish
- Flame failure protection on all burners

\$6,819.17+GST

OEM FX202M



Spiral Mixer Dough Machine Mixer (20KG)

<u>Description</u>

- Fixed head spiral dough mixer
- 2kg minimum dough capacity
- 18kg maximum dough capacity
- Single phase, two speed
- Stainless steel bowl

\$6,840+GST

Atosa SC-145

Description

- Capacity: 46 Bottle
- Dual Zone Wine Fridge
- Capacity: 128L
- Refrig Gas Type : R600a Dimensions: (WDH) 595 x 575 x 820-870 mm

\$990+GST (



Wexiodisk WD-7

- Washes up to 50 baskets per hour
- 2.5 litres of water consumption per cycle
- 50 litre tank volume Stainless steel construction
- Corner or in-line installation
- Self-draining wash arms for optimum wash results

\$12,040+GST

Blue Seal E506D



Static Range Gas Oven

Description |

- 6 radiant element cooktop on electric range static oven
- 2/1 GN electric static oven
- 6.5kW oven heating elements
- 6 x 2.4kW open radiant elements
- Six temperature setting simmer setting
- Heavy-duty stainless steel finish

\$10,870.31+GST

Waldorf FN8226G 800m Series Gas Deep Fryer

<u>Description</u>

- 450mm twin pan gas fryer
- 13 litre oil capacity per pan
- 31kg/hr production rate
- 2 x 45MJ/hr infrared burners Mechanical controls
- Easy clean, installation and service
- Supplied with 2 standard baskets

\$6,950.65+GST



HOSPITALITY EQUIPMENT

turbofanbolt.

YOUR STYLE, YOUR WAY



Cobra C3D-W

2 Burner Lpg Gas Cooktop with Wok Burner

Description

- 2 x 22MJ/hr open burners
- Variable high to low controls
- Stainless steel spill tray and finish
- Flame failure standard on open burners
- 305mm Two burner wok end gas cooktop, flame failure as standard

.844.85+GST

Cobra CN4

Noodle Boiler Gas Noodle Cooke

- 40L water capacity
- Stainless steel exterior
- Hinged basket drain tray
- Five stainless steel noodle baskets supplied
- Patented infra-red burner system
- High performance single pan noodle cooker



\$5,728.82+GST

Turbofan VH31

Ductless Kitchen Ventless Condensing Hood

Description



- Single phase connection Oven interlocked operation Low speed automatic 2 speed extraction fan
- Condensing heat exchanger reduces heat emissions
- Self contained condensate collection pan no connection to waste drain required

\$7,598.25+GST

Cobra CT9



- 3 x 21MJ/hr burners
- 5 position toasting rac
- 12mm thick griddle plate
- Stainless steel finish Corner or in-line installation
 - Adjustable front feet and rear rollers

\$4,405.80+GST

Turbofan DSK2223



- to suit E22 / E23 models

- Adjustable Feet Includes spacer frame* base stand* Nett Weight (double stack complete)

\$915.00+GST

Turbofan SKEHT10



Stainless Steel Stand Baking Stand I with Castors

Description

- 2 front castors wheel and swivel lock
- Welded 38mm and 32mm square tube front and rear frames
- Welded rack supports/side frames
- GN 2/1 drawers with 4 position racking
 - 2 front castors wheel and swivel lock

\$856.50+GST

Turbofan VH33

Ductless Kitchen Hood Ventless Condensing Hood

\$7,845.75+GST

<u>Description</u>

- Condensing Hood Ducted Range Hood
- Single phase connection
- Oven interlocked operation
- Low speed automatic 2 speed extraction fan
- Condensing heat exchanger - reduces heat emissions
- Self contained condensate collection pan

Cobra C600

600mm Infill Bench

Description

- 600mm Infill Bench
- Stainless Steel Bench
- 3.2mm thick compound work surface
- with 1.2mm 304 stainless steel top
- 2.0mm galvanised steel backing
- Splashback 0.9mm stainless steel
- Easily clean stainless steel finish 1.2mm stainless steel legs
- with adjustable feet

\$895.32+GST



HOSPITALITY EQUIPMENT

WASHTECH



Washtech GE

Economy Compact Glass Washer <u>Description</u>

- 365mm Rack I Glass Washer Machine
- Rapid 1 minute glasswashing wash cycle
- Washes up to 540 glasses per hour Hot water consumption of 4.5 litres per
- Durable stainless steel construction
- Washtech Hybrid Controls

\$3.815+GST



Washtech GM

Professional Undercounter Gla

Description

- 60, 120 and 180 second cycles
- Sanitising rinse of >82°C
- Drain pump with outlet hose
- 15 amp plugset
- Self-cleaning cycle
 Selectable cold rinse

\$5,974+GST



Washtech XU

Professional Undercounter Glass Washer

- 500mm Rack Glass Washer Machine
- for 600mm wide bench cavity
- Easy-to-use Hybrid control system
- Washes up to 1080 plates per hour
- with options of 60 and 120 second cycles
- Dimensions: W570mm x D600mm x H840mm
- Power: 1p/15A

\$5,948+GST

Washtech GM-R



Undercounter Glass Washer Machine

Description

- 450mm Rack Glass Washer Machine
- Polish Free Compatible
- 1, 2 and 3 minute cycles
- Advanced electronic controls
- Soft start wash cycle
- Drain pump with outlet hose
- 15 amp plugset

\$6,696+GS1



Washtech XG

Description

- 365mm Rack Glass Washe
 - 60 and 120 second glasswashing cycles Washes up to 540 glasses per hour Water consumption of 1.5 litres per cycle Compatible with 365mm glass racks
- Washtech hybrid controls
- \$4.123+GST

htech UL-B



- 60, 120 and 180 second cycles Compatible with 500mm racks
- Advanced electronic controls Quick connection including:
- Water supply hose
- Drain pump with outlet hose

\$12,801+GST

Washtech UD-R

Professional Undercounter Glass Washer

- 500mm Rack Glass Washer Machine
- 1, 2 and 3 minute cycles
- Advanced electronic controls
- Soft start wash cycle
- Drain pump with outlet hose
- 15 amp plugset
- Self-cleaning cycle

\$8,504+GST

Washtech M2C

Professional Pass Through Dishwasher

Description

- 500mm Rack Dishwasher
- with Heat Condensing Unit
- Autostart on hood closure
- 1, 2 and 3 minute cycles
- Capacity of up to 1,080 plates / 1,500 glasses
- Low water consumption of 2.4 litres per cycle



.5.442+GST



HOSPITALITY EQUIPMENT

Bermixer FEDERAL Scotsman SALE

Scotsman NB 193

129kg Slope Front Ice Storage Bin

Description

- Storage capacity up to 129kg
- Sloped front bins for ease of access
- High density polyethylene insulation
- Insulated with rounded corners
- Fully removable door gasket seal, easily disassembled for cleaning
- Stainless steel bin exterior with rotocast plastic hinged door

\$1,555.70+GST

Moffat SMST



Paramount Stand to Suit Bench Slicer

Description

- Painted steel finish
- Suits all Paramount bench slicers
- Fitted with adjustable levelling feet and crumb tray
- W: 490mm D: 530mm H: 602mm
- Guarded for operator safety
- Crumb Stand

\$850+GST

MODULAR SYSTEMS

WBB7-0300/A



Description

- with Splashback (300mm)
- 700 mm deep , 900 mm high
- Legs : 1.2 mm S/S; 42 mm
- Benchtops: 1.2 mm material
- Undershelves: 1.2 mm S/S Splashbacks: 150 mm high

\$301+GST

MODULAR SYSTEM SSBD7-1800L/



Left Hand Sink | Single Sink

<u>Description</u>

- 1800mm wide
- Bowl size 450mmW,450D,300H
- 90 mm drain hole
- Stainless Steel backed:

\$858+GST



NWH-608-AS-OX

Description

- Capacity: 290kg half dice cubes (6g)
 Air-cooled, includes Xsafe
 Up to 290kg daily production rate
 Vertical evaporator spray-system technology
 T304 grade stainless steel exterior
 Includes air filter, water and drain hose

\$5,635.45+GST



- 10,000 RPM
- Easy To Use And Space Saving Supplied With Wall Support
- Reinforced "Bayonet" System
 - Tube 45cm; 550W No need to stir
- 50 to 300 covers

\$625+GST

MODULAR SYSTEMS

SSBD7-1200R/A

Right Hand Sink I Single Sink

Description

- 1200mm wide
- 700 mm deep , 900 mm high
- right bowl positioning
- 90 mm drain hole
- Stainless Steel backed

\$702+GST

- 700 mm deep, 900 mm high
- 150 mm high; 30 mm thick



Moffat FG150ECS+

Eco Touch I Electric Convection Oven

Description

- 10 tray capacity
- 100mm distance between trays
- Touch sensitive controller
- Stainless steel interior and exterior
- Reversing fans for even bake
- Energy saving sleep mode USB programmable

\$16,780+GS7





Cookrite AT65G4G-C-LPG

Countertop | Griddle | Gas Griddle | LPG Gas



Description

- Heavy duty constructed frame
- Heavy duty burners and standby pilots
- Removable drip tray
- Constructed in 304 stainless steel 3/4 inch pipe gas inlet
- Stainless steel burners
- Stainless steel splash back

\$974.67+GST



E1000N-A

ActiveCore - Top Mount Two Door Display Fridge

Description

- Material: Powder coated galvanised steel
- Gross Volume (Litres): 897
- Total Floor Area (m2): 0.84
- Max Ambient Temperature: 40°C
- Refrigerant: R290 / 99g (natural refrigerant)
- GEMS Class: 3M1
- Current Draw (Amps): 3.0 (includes unit 2.6)
- Electrical Safety Climate Class: 5

III

olay \$4,340+GST

Luus 206221



11

Freestanding Stockpot Boiler Range

- 165 litre Stainless Steel Pot
- 580mm diameter x 550mm high
- Pot with water release valve and lid
- Dimensions: 600 x 600 x 550mm[h]
- Use with LUUS FSP range

\$1,260+GST



Commercial Griddle (82KG)

Description

- 600mm Griddle with legs & shelf Dimensions:
- Width: 600mm
- Depth: 800mm
- Height: 1100mm

\$3,220.00+GST

VC55MF

- d Magnalium Housin

Display \$643+GST

Robot Coupe Blixer 4 V.V



\$4,300.0+GST



Deep Fryer | Gas F

Description

- 5 Tube, 535mm Wide
- 5 Tubes Gas Deep Fryer
- Oil Capacity: 34.7 L
- Total Output (LPG Gas): 114 Mj/h

\$2,148.36+GST

Pitco VF65+S

Gas Fryer - Natural Gas

Description

- 65-lb. oil capacity
- Temperature range: 200-400 degrees F
- Millivolt-control operation
- 2 twin fry baskets have a removable hanger
- Frying area: 18 in. x 18 in.
- Overall: 195/8 in. W x 34 in. D x 471/4 in. H
- 2 twin fry baskets have a removable hanger



\$3,802+GST



HOSPITALITY EQUIPMENT









Goldstein VFG1L

800 Series Fryer, V Pan Fryer Gas <u>Description</u>

- Stainless steel pan front and sides
- Large cool zone for long oil life
- Manual spark ignition
- Line-up nosing for a sleek appearance
- All components easily serviceable from the front

STOCK \$2540+GST

HOUNÖ KPE1.06



- 9 cooking modes Auto-reverse fan with 9 speeds
- Manual & automatic humidity pulsing
- Manual & automatic cooling function
- Multi-point Core Temperature Probe
- Water filter kit
- High capacity steaming

\$15,750+GST

HOUNÖ CPE1.16R



D<u>escription</u>

- SmartTouch® display
- Memory of 500 recipes (each with up to 15 steps)
- Cookbook with preset programmes
- CombiWash® fully automatic cleaning system
- Integrated hand shower
- Manual or automatic cooling
- Automatic humidity pulsing
- Core temperature probe, external location

\$16,750+GST

Pitco PCF-18

Crisp N' Hold Food Cabinet Station

Description

- Stainless steel front, sides, door and splash back.
- Stainless steel Food Bay.
- Heavy Duty 3/16" (.48 cm) door hinge.
- Designed to match existing or accompanying Solstice fryers.
- Unit can be installed on either side or between solstice fryer(s).

\$12,993.75+GST



CLEARANCE \$1,900+GST

UNÖ KPE1.10

\$14,500+GST

Goldstein GR/EE710FF



Gas Fan Forced oven I Oven Range

<u>Description</u>

- 4x 2.0 kW hot solid plates
- Meets NSW Department of Education requirements
- Fully insulated gastronorm compatible oven
- Oven in gastronorm compatible sizes Flame failure and standing pilots
- Gas Fan Forced oven

\$3,100+GST

MagiKitch'n MKG-36

Griddle Plate. Gas

<u>Description</u>

- Thermostatically controlled
- Grease drawer
- 4" legs
- Heavy-duty 1" thick polished griddle plate
- Durable stainless steel construction



\$6,200+GST



CATERCENTRAL HOSPITALITY EQUIPMENT



MagiKitch'n MKG-24

Griddle Plate, Gas

Description

- Thermostatically controlled
- Grease drawer
 - 4" legs
- Heavy-duty 1" thick polished griddle plate
- Griddle that comes with 4 burnersDurable stainless steel construction

\$6,000+GST

MagiKitch'n MKG-48


Griddle Plate, Gas

Description



- Countertop Griddle
 snap-action thermostat & piezo
 ignitor
 - 4" legs
- Heavy duty 1" thick polished gridd
- 48"W 1" plate
- 48"W, 1" plate

CLEARANCE STOCK \$6,000+GST





HOSPITALITY







iCombi Package 5

Rational ICP-XS-623-LH

iCombi Pro Left Hand Hinge



Package Description

- ICP-XS-623-LH (E60SJ24053141110) 6-2/3GN capacity iCombi Pro,
- Left hand hinge
- 60.31.018 Stand to suit, Open on all sides, 2 shelves 60.74.119 Accessory Package: Includes 1x grill & pizza tray, 4x Roasting & baking trays.
- Warranty: 24 Months parts & Labor warranty Condition: New unit out of original packaging



\$16,940.08+GST

iCombi Package 9

Rational ICP101G-NG-208

Package Description



- ICP101G-NG-208
- 4 Available G11SJ22103005324,
- G11SJ22103005323,
- G11SJ22103005325,
- G11SJ23023034117)-10-1/1 GN tray iCombi Pro Optional two stage safety door lock fitted, protect against injury from hot steam.
- Warranty: 24 Months parts & Labor warranty Condition: New unit out of original packaging

\$29,066.25+GST



iCombi Pro Combi Oven ICP201 20 tray 1/1 GN



- ICP201-DEMO (E21SJ24063143294)
- Manufacturer: Rational
- Warranty: 24 Months parts & Labor warranty
- Condition: Used demo unit in good condition, out of original packaging



\$37,887.90+GST

iCombi Package 10





HOSPITALITY EQUIPMENT







iCombi Package 11

Rational ICP202-DEMO



iCombi Pro Combi Oven ICP20

Package Description

- ICP202-DEMO (E22SJ20082839828) 20 x 6013.2104 RATIONAL 40mm solid stainless steel 2_1 Gastronorm Pans
- 40 x 6013.2106 RATIONAL 65mm solid stainless steel 2_1 Gastronorm Pans
- 05 x 6013.2110 RATIONAL 100mm solid stainless steel 2_1 Gastronorm Pans
- Warranty: 24 Months parts & Labor warranty
- Condition: Used demo unit in good condition, out of original packaging



\$51,816.13+GST

iCombi Package 14 **Rational ICC62G-LP**

iCombi Classic - 6-2x1 GN Tray Gas <u>Package Description</u>




- Model ICC62G-LP
- (G62MJ22123022722)
- RATIONAL iCombi Classic 6-2x1 GN
- Warranty: 24 Months parts & Labor warranty
- Condition: New unit in original

\$24,234.53+GST

iCombi Package 15

Rational ICC102G-NG-LH





- Model ICC102G-NG-LH (G12MJ23073071791) RATIONAL iCombi Classic 6-2x1 GN
- Manufacturer : Rational
- Warranty: 24 Months parts & Labor warranty
- Condition: New unit in original packaging

\$32,214.89+GST



iCombi Package 17 **Rational ICC201**

iCombi Classic | 20-1/1 GN Tray

Package Description

- Model ICC201 (E21MJ24043134848)
- RATIONAL iCombi Classic 20-1/1 GN Tray
- Warranty: 24 Months parts & Labor warranty
- Condition: New unit out of original packaging

\$36,179.00+GST



HOSPITALITY EQUIPMENT







iVario Package 20 **Rational IV2-XS**



Package Description

- Model IV2-XS (E07VK21118058909)

- RATIONAL iVario Pro XS, 2x 17L 60.31.538 Stand with stainless steel feet to suit iVario model XS. Boil, pan fry and deep fry with just a single cooking system. Cook four times faster than conventional cooking with up to 40 percent less energy. Specially designed for restaurants serving between 30 to 100 meals per day. Each pan has a volume of
 17L. Replace pots, stoves and deep fryers with this one efficient piece of equipment.
 Warranty: 24 Months parts & Labor warranty
 Condition: Demo model, tradeshow use only



\$26,247.60+GST

iVario Package 23 **Rational IVP2-S-P**

Package Description

- Model IVP2-S-P (E11PK22128069115)
- RATIONAL iVario Pro 2S, 2x 25L with Pressure
- 60.31.327 Stand with electrically height adjustable feet to suit iVario model 2-S 87.00.742 Accessories kit to suit iVario 2-S
- Warranty: 24 Months parts & Labor warranty
- **Condition: Showroom demo model**





\$46,198.95+GST

iVario Package 24 Rational IVPL-P-SPF

iVario Pro L | 100L with Pressure

Package Description

- Model IVPL-P-SPF (E21PK22038061875)
- RATIONAL iVario Pro L, 100L with Pressure.
- Boil, pan fry and deep fry with just a single cooking system.
- Cook four times faster than conventional cooking with up to 40 percent less energy. Specially designed for production and catering serving between 100 to 300 meals per day. The pan has a volume of 100L. Replaces Large pots, stoves, bratt pans, kettles and deep fryers with this one efficient piece of equipment.
 - 87.00.743 Accessories kit to suit iVario model L
 - Warranty: 24 Months parts & Labor warranty
- Condition: Showroom display model, out of original

\$51,857.81+GST